

Ladies' Jacket

Size: to fit bust 82/86 cm [32"/34"] und 92/97 cm [36"/38"].

Directions for the smaller size are before the parentheses, with larger sizes inside. If there is only one figure, it applies to all sizes. All measurements are in centimetres (cm). For approximate inch sizes simply multiply by 0.4 (or divide by 2.54).

Materials: Gedifra Amara (80% cotton, 20% polyamide, about 100 m/50 g), 600(650) g #03717 turquoise.

4.5-5 mm [size 7-8] needles and same size long circular needle, **or size to obtain gauge**, 2 sew-on stones, and 2 hooks and eyes.

Eyelet pattern: no. of sts. mult of 6 + 2 edge sts.

Row 1 (RS row): edge st., *yarn-over, K3 tog, yarn-over, P3, rep from *, edge st.

Row 2 and all foll rows: work as for row 1.

Stockinet stitch (st-st): K RS rows; P WS rows.

Reversed stockinet stitch (rev st-st): P RS rows; K WS rows.

Gauge: 18 sts. and 24 rows, each to 10 cm [4"].

METHOD

Center back panel: cast on 104 sts. with a smooth auxiliary yarn, then with the original yarn cont as foll: edge st., 20 sts. rev st-st, 62 sts. st-st, 20 sts. rev st-st, edge st. At the same time dec for side shaping at each end 1 st. alt on every 2nd and 4th row 20 times as foll: on the first rev st-st panel P the last 2 sts. tog; on the 2nd rev st-st panel P the first 2 sts. tog; at the end K the edge st. tog with the last rev st-st st.

At the same time, when work measures 5 cm, mark 22 st-st sts. at center for dart and K the first of these 2 sts. tog, K18, then a slip dec (= slip 1 knitwise, K1, pass slipped st. over), work rem sts. in patt. Rep these dec in the same positions on every 4th row another 9 times, reducing the 18 sts. accordingly = 44 sts. after all decs. When work measures 55(57) cm bind off all sts.



 **Gedifra**

Remove the auxiliary yarn and pick up the 104 sts. Now work 10 rows eyelet patt, then K 1 RS row over all sts. and yarn-overs, then bind off all sts. purlwise.
Total height of work = 60(62) cm.

Right side panel: cast on 46(52) sts. with a smooth auxiliary yarn, then with the original yarn cont in st-st.

When work measures 10 cm dec at each end 1 st. once, then 1 st. on every 6th row 14 times as foll: work edge st., then K2 tog; work to 3 from end of row, then 1 slip dec, edge st. = 16(22) sts.

When work measures 47 cm bind off at right edge for armhole shaping 2 sts. once, then 1 st. on every 2nd row 3 times as foll: work edge st., then K2 tog.

When work measures 70(72) cm bind off

rem 11(17) sts. for shoulder.

Remove the auxiliary yarn and pick up the 46(52) sts. Cont in eyelet patt, working 1 additional st. in st-st beside each edge st. After 10 rows K 1 RS row over all sts. and yarn-overs, then bind off all sts. purlwise. Total height of work = 70(72) cm.

Left front: work in reverse, thus work armhole shaping at left edge and for armhole decs work to 3 from end of row, then 1 slip dec, edge st.

Right front: cast on 56(62) sts. with a smooth auxiliary yarn, then with the original yarn cont in st-st.

When work measures 5 cm work dart over the 22 center sts. as for back = 36(42) sts. When work measures 34(36) cm bind off for neck shaping at right edge 1 st. once, then 1 st. on every 2nd row 17 times as foll: work edge st., then K2 tog. At the same time, when work measures 37 cm, bind off for armhole shaping at left edge 3 sts. once, then dec 1 st. on every 2nd row 4 times as foll: work to 3 from end of row, then 1 slip dec, edge st. = 11(17) sts. after all decs.

When work measures 55(57) cm inc at right edge for back neck shaping 1 st. once, then 1 st. on every 2nd row another 3 times, then bind off the 15(21) sts. = 58.5(60.5) cm in height. Remove the auxiliary yarn and pick up the 56(62) sts. Work 10 rows eyelet patt, then K 1 RS row over all sts. and yarn-overs, then bind off all sts. purlwise. Total height of work = 63.5(65.5) cm.

Left front: work in reverse, thus for armhole shaping work edge st., K2 tog, and for neck shaping work to 3 from end of row, then 1 slip dec, edge st.

Sleeves (both alike): cast on 62(68) sts. with a smooth auxiliary yarn, then with the original yarn cont in st-st. When work measures 7 cm dec 4 sts. as foll: work edge st. and 5(6) sts. in patt, then 1 slip dec, 20(22) sts. in patt, K2 tog, 2 in patt, 1 slip dec, 20(22) sts. in patt, K2 tog, 5(6) sts. in patt, edge st. Rep these decs in the same positions on every 12th row another 3 times (reduce the 20(22) sts. accordingly) = 46(52) sts.

When work measures 33(31) cm inc for sleeve shaping at each end 1 st. once, then 1 st. on every 6th row another 4 times = 56(62) sts.

When work measures 46(44) cm bind off for sleeve cap at each end 3 sts. once, then dec 1 st. on every 2nd row 14(16) times as foll: work edge st., then K2 tog; work to 3 from end of row, then 1 slip dec, edge st. Then bind off on every 2nd row another 2 sts. twice, then bind off rem 14(16) sts.

Remove the auxiliary yarn and pick up the 62(68) sts. Now P 1 WS row, working edge st. (edge st. and P3), then P2 tog 30 times, end with edge st. (P3, edge st.) = 32(38) sts. Cont in eyelet patt. After 10 rows K 1 RS row over all sts. and yarn-overs, then bind off all sts. purlwise.

Total height of work = 65 cm.

Finishing: block all pieces to measurements, cover with a damp cloth and allow to dry. First sew side panels to center back panel, leaving 10 cm open at lower end of each side panel Sew fronts in position alike. Join shoulder and sleeve seams, then sew sleeves in position.

Pick up 248(254) sts. along front edges of jacket and back neck edge with the circular needle and P 1 WS row, then cont in eyelet patt. After 5 rows P 1 WS row over all sts. and yarn-overs, then bind off all sts. knitwise.

For the cone pockets sew lower bound-off edge of side panels to fronts, see * and • in line chart.

Sew hooks and eyes to inside of front band edges, 1st pair about 1 cm below start of neck shaping, 2nd about 4 cm below. Sew sew-on stones to outer edges.

